



BROCHURE



DOPPIO

DOPPIO HALO 1C - M - 1 GROUP



Created for modern café environments, the Doppio Halo-1C-M combines stylish design with powerful performance. Equipped with premium components and good brewing technology, pre-infusion technology, it consistently delivers high-quality coffee with every extraction.



APPLICATION



FEATURES



Programmable pre-infusion

Ensures even saturation, prevents channeling, and optimizes extraction for all roast profiles to deliver shot-to-shot consistency.



Multi-display for shot timer/ temperature

Featuring an intuitive display interface, the machine allows baristas to easily track extraction time and temperature, ensuring precise control and consistent quality in every shot.



Cool touch steam wand

It helps baristas hold the steam wand comfortably while steaming milk and prevents burnt milk from sticking to the metal, making cleaning much easier.



Premium Components

Equipped with premium components from leading European and American brands, ensuring reliable performance, and consistent brewing results over the long term.



Multi-boilers and PID

Equipped with an multi-boiler system for thermal stability, the machine also features intelligent PID technology that delivers precise temperature control, ensuring consistently stable brewing performance.



Model Halo 1C: White



Model Halo 1C: Black

MODEL HALO-1C

Height	490 mm
Width	415 mm
Depth	513 mm
Weight	39 Kg
Voltage	220V/50Hz/60Hz
Power	2400W
Extraction Pressure	9 Bar
Extraction boiler capacity: group head + preheating boiler	500 ml + 200 ml
Steam boiler capacity	3.5 L



DOPPIO HALO 2C - M - 2 GROUPS



The Doppio Halo-2C-M is designed for high-volume cafés environments, featuring a durable carbon-coated steel body. The machine is equipped with an intuitive display interface, a multi-boiler system, pre-infusion technology, premium components, and cool-touch steam wand



APPLICATION



Café



Restaurant

FEATURES



Programmable pre-infusion

Ensures even saturation, prevents channeling, and optimizes extraction for all roast profiles to deliver shot-to-shot consistency.



Multi-display for shot timer/ temperature

Featuring an intuitive display interface, the machine allows baristas to easily track extraction time and temperature, ensuring precise control and consistent quality in every shot.



Cool touch steam wand

It helps baristas hold the steam wand comfortably while steaming milk and prevents burnt milk from sticking to the metal, making cleaning much easier.



Premium Components

Equipped with premium components from leading European and American brands, ensuring reliable performance, and consistent brewing results over the long term.



Multi-boilers and PID

Equipped with an multi-boiler system for thermal stability, the machine also features intelligent PID technology that delivers precise temperature control, ensuring consistently stable brewing performance.



Model Halo 2C: White



Model Halo 2C: Black

MODEL HALO 2C

Height	490 mm
Width	685 mm
Depth	530 mm
Weight	57 Kg
Voltage	220V/50Hz
Power	4200W
Extraction Pressure	9 Bar
Extraction boiler capacity: group head + preheating boiler	500 ml*2 + 150 ml
Steam boiler capacity	6 L





DOPPIO