

# Barista inside

### Pure temptation

Our love for coffee, our many years of coffee expertise and the craftsmanship of a barista are in every Schaerer coffee machine. Espresso, cappuccino or latte macchiato – on the inside of our coffee machines, all the details are perfectly coordinated to prepare beverages that are equal in taste and appearance to the coffee creations hand-crafted by baristas. Barista inside – for delicious coffee and milk foam no one can resist.

# YOUR INTRODUCTION TO THE PREMIUM **COFFEE WORLD**

The Schaerer Coffee Club opens the door to the world of professional coffee preparation. Packed into a small and elegant design, our entry-level model combines everything you need to create delicious coffee specialities: sophisticated technology, easy handling, maximum flexibility.







### Small, but it packs a punch

Give your coffee business new momentum with the Schaerer Coffee Club. Our "little one" not only looks fantastic, it also offers an innovative operating concept and fits into any space thanks to its slim build. Packed to the brim with proven Schaerer technology, the Milk Smart fresh milk system and many new features, it enables you to prepare a wide variety of premium coffee specialities.

A small example: with the new SteamIT, you can heat the cup to the right temperature with a controlled burst of steam – for an even better beverage quality. As an entry-level model into the professional world of coffee, the Coffee Club is designed to provide a daily output of 80 cups - ideal for use in small catering companies and hotels, in convenience stores or for self-service in the office.



# **FUN OPERATION**

From preparing beverages to cleaning: it's wonderfully simple to operate the Schaerer Coffee Club.







Small and strong, or large and mild? Everyone using the coffee machine can customise the beverage size, flavour intensity, milk and milk foam quantity with just a few simple touches on the TouchIT display, thereby creating their - or their guest's - own favourite coffee. You can even operate the machine directly from your smartphone with our coffeeMYsation app. Simply create your favourite coffee in the app and start the preparation process directly from there. And remember to save the recipe so that it tastes just as good the next time.  $oldsymbol{arOmega}$ 





### Clean in a flash

The new cleaning concept of the Coffee Club significantly reduces the time needed for cleaning. To conform to the HACCP hygiene analysis, the system cleaning process need only be carried out once per week. The daily switch-off rinsing process also includes the innovative CleanIT function: Connect the milk system to the steam valve, start the programme, finished.

### The choice is yours

Fresh milk, milk powder or both. With or without steam wand for manual milk foaming. One or two grinders. Big or small bean hoppers. Grounds unit or under-counter grounds container. Connection of payment systems with cash or via PayPal. Tank solution or with a mains water kit. When it comes to Coffee Club equipment, the choice is yours.

### Intuitive touchscreen

The Coffee Club user interface relies on easy, fun operation. The highlight: by swiping vertically over the screen, you can access all the stored coffee specialities directly with one swipe. Once the beverage has been selected, an animated display shows the current status of the preparation process.

# THE LITTLE MACHINE THAT MAKES A BIG IMPACT

Fresh milk system

Automatic preparation of exquisite coffee-and-milk specialities

Quiet

Decoupled grinders for quiet grinding

Various steam wands

For manual or fully automatic milk heating and foaming

Why should you choose the Coffee Club?

### The Coffee Club in the office

- Thanks to a slim build and a height of 50 centimetres, it can also be integrated into a kitchen range if required.
- Fresh milk and the use of milk powder can be adjusted, for example, so that after cleaning only powder is dispensed.
- 4.5 l drinking water tank with level sensor.
- Easy self-service thanks to clear user interface.
- coffeeMYsation app for individual beverage configuration and selection by the user
- Connection of M2M Coffee Link telemetry solution.
- Connection of payment systems via MDB interface.
- Simple cleaning concept, including CleanIT for milk system.

# Hot water outlet

For the preparation of tea

# The Coffee Club in restaurants, hotels and catering businesses

- Appealing entry-level model into the world of professional coffee preparation.
- Milk Smart milk system for the automatic preparation of coffeeand-milk specialities.
- Optional: Powersteam for manual milk foaming for a "barista feeling"
- Easy to operate and clean thanks to animated display.
- Extension with a second grinder for a larger beverage variety.
- Bean hopper extension for storing larger quantities of coffee.
- Mobile use possible thanks to tank and mains water solution.

Integrated bean hopper

Space-saving, maximum machine height of 500 millimetres

schaerer

Integrated Owder system

Large beverage variety without additional module



User interface with vertical "swipe" function

# Beverage customisation

Water, coffee and milk quantity can be set individually on the display



CleanT

Incredibly easy cleaning for the milk system

Steam T
Controlled steam

warms the cup

Fold-out cup tray
Variable discharge height

**D** 

9

coffee club

Variable discharge height of 175 and 100 millimetres

# The Coffee Club in the convenience store

- Easy self-service thanks to clear user interface.
- Advertising opportunity (images and animations) on the display.
- Connection of M2M Coffee Link telemetry solution.
- Connection of payment systems via MDB interface.
- Easy cleaning concept, including CleanIT for milk system.
- Modern yet robust design.

# **A CLEVER COMPREHENSIVE PACKAGE**

# Standard equipment




7" TouchIT user interface with vertical "swipe" function.



One grinder and integrated bean hopper for 550 grams of beans.



SteamIT. A controlled burst of steam for convenient cup heating.



Barista key for setting flavour intensity.



Hot water outlet for the preparation of tea.



Cup tray integrated into the grounds unit. Normal discharge height 175 mm, up to 100 mm with tray folded out.



Drinking water tank with 4.5 l capacity and level sensor.



Integrated grounds container for approx. 30 coffee cakes.



USB stick for convenient data backup and software updates.



The animated user support shows important processes on the display and simplifies operation.

# Extension possibilities



Milk Smart milk system for the preparation of premium-quality coffee-and-milk specialities and milk foam.



Powder system with integrated 450-gram powder container for an for a total capacity of 1250 grams. even larger variety of beverages.



Powder container extension



Second grinder with integrated bean hopper for 550 grams of coffee.



Bean hopper extension for a total capacity of 1100 grams.



Powersteam for manual milk heating and foaming.

# Extension possibilities



Mains water kit for an easy connection to the mains water.


optimisation of individual business processes.



Under-counter grounds disposal possible with easy machine modification.

coffeeMYsation app for beverage

configuration via smartphone.



M2M Coffee Link telemetry Bluetooth adapter for connecting **solution** provides comprehensive coffeeMYsation and M2M Coffee information for quality assurance as well as the monitoring and



# **CONFIGURATIONS**

# Alternative 1

1 grinder, internal fresh water tank, Milk powder system, hot water



# Alternative 2

1 grinder, 1 powder system, internal fresh water tank, Milk Smart, hot water, Powersteam, cooling unit left





# Alternative 3

1 grinder, 1 powder system, internal fresh water tank, Milk Smart, hot water, Powersteam, under-machine cooling unit




# CONFIGURATIONS AND TECHNICAL DATA






Schaerer Coffee Club



Side cooling unit



Under-machine cooling unit under the coffee machine

Output per day Recommended duly output Beverage output per hour (coffee, espresso) Up to 40 Coffee/cafe (crime Expresso Coffee/cafe (crime Small pot (250 ml) Small p	Category	Equipment and options	Schaerer Coffee Club
Duty up per hour   Reverage output per hour (coffee, espresso)			
Range of beverages	Output per day	Recommended daily output	80
Espresso	Output per hour	Beverage output per hour (coffee, espresso)	up to 60
Coffee(pate   Small pot (250 ml)   Small pot (250	Range of beverages	Ristretto	S
Small pot (250 ml)		Espresso	S
Milk conferênte   S			S
Cappuccino			
Latte macchiato   S			
Chociatto			
Het milk   Hot milk foam   S			
Hot water   Steam			
Steam			
Powder-based beverages   O		Hot water	S
Operation and dispensing		Steam	S
Number of beverages possible [programmable]		Powder-based beverages	0
Number of beverages possible (programmable)		Self-service mode	S
Fixed outlet height			
Separate hot water dispensing   s			175
Single outlet		Cup platform can be adjusted manually	S
Double outlet		Separate hot water dispensing	S
Barista key		Single outlet	S
Adjustment of the beverage size   5			s (coffee)
Grinders and containers         1 grinder 2 grinders         0           Bean hopper [g] Bean hopper enlargement [g]         1100           Ground coffee inlet         5           Boilers         Hot water boiler for coffee Steam boiler         5           Milk systems and cooling units         Milk Smart [MS]         5           Cooling units         Side cooling unit [BKE]         0           Powder system         Powder container [g]         1250           Toping [1x Topping powder], e.g. milk powder         0           Choccalte [1x Choco powder]         0           Choco/Topping [1x Choco powder]         0           Coicuta         SteamT steam cup			
2 grinders   Bean hopper [g]   550     Bean hopper enlargement [g]   1100     Ground coffee inlet   5     Boilers   Hot water boiler for coffee   5     Steam boiler   5     Milk systems and cooling units   Side cooling unit (BKE)   0     Powder system   Powder container [g]   450     Container enlargement [g]   1250     Twin powder container [g]   2 x 450     Topping [1x Topping powder]   0     Chocolate [1x Choco powder]   0     Choco/Topping [1x Choco powder and 1x Topping powder]   0     Steam   Powersteam   0     Other options   SteamIT steam cup warmer   5     Grounds container [coffee grounds cake]   30     Under-counter grounds disposal   0     Lighting   5     Trolley   0     Payment system   Payment systems (MDB-S/DIVA2/DIVA2 Max)   0     Coin & token tester   0		Adjustment of the beverage size	S
Bean hopper [g]   Bean hopper enlargement [g]   1100     Ground coffee inlet   5     Boilers	Grinders and containers	1 grinder	S
Bean hopper enlargement [g]		2 grinders	0
Boilers			
Hot water boiler for coffee   Steam boiler   Steam   Powder container [g]   450   1250			
Steam boiler   S		Ground cottee inlet	S
Milk systems and cooling units         Milk Smart (MS)         s           Side cooting unit (BKE)         0           Powder system         Powder container (g)         450           Container enlargement (g)         1250           Twin powder container (g)         2 x 450           Topping (1x Topping powder), e.g. milk powder         0           Chocolate (1x Choco powder)         0           Choco/Topping (1x Choco powder and 1x Topping powder)         0           Steam         Powersteam         0           Supersteam         0           Other options         SteamIT steam cup warmer         5           Grounds container (coffee grounds cake)         30           Under-counter grounds disposal         0           Lighting         s           Trolley         0           Payment system         Payment systems (MDB-S/DIVA2/DIVA2 Max)         0           Coin & token tester         0           Coin changer         0           M2M Coffee Link         0           Colours         Black matt         s           Dimensions         Width [mm]         570           Height [mm]         570           Height [mm]         570           Weight [kg]	Boilers	Hot water boiler for coffee	S
cooling units         Side cooling unit (BKE)         o           Powder system         Powder container [g]         450           Container enlargement [g]         1250           Twin powder container [g]         2 x 450           Topping [1x Topping powder], e.g. milk powder         o           Chocolate (1x Choco powder)         o           Choco/Topping (1x Choco powder and 1x Topping powder)         o           Steam         Powersteam         o           Supersteam         o           Other options         SteamIT steam cup warmer         s           Grounds container [coffee grounds cake]         30           Under-counter grounds disposal         o           Lighting         s           Trotley         o           Payment system         Payment systems [MDB-S/DIVA2/DIVA2 Max]         o           Coin & token tester         o           Coin & token tester         o           Coin changer         o           M2M Coffee Link         o           Colours         Black matt         s           Dimensions         Width [mm]         325           Depth [mm]         570           Height [mm]         501 [556 mm with bean hopper enlargement and lock]		Steam boiler	S
cooling units         Side cooling unit (BKE)         o           Powder system         Powder container [g]         450           Container enlargement [g]         1250           Twin powder container [g]         2 x 450           Topping [1x Topping powder], e.g. milk powder         o           Chocolate (1x Choco powder)         o           Choco/Topping (1x Choco powder and 1x Topping powder)         o           Steam         Powersteam         o           Supersteam         o           Other options         SteamIT steam cup warmer         s           Grounds container [coffee grounds cake]         30           Under-counter grounds disposal         o           Lighting         s           Trotley         o           Payment system         Payment systems [MDB-S/DIVA2/DIVA2 Max]         o           Coin & token tester         o           Coin & token tester         o           Coin changer         o           M2M Coffee Link         o           Colours         Black matt         s           Dimensions         Width [mm]         325           Depth [mm]         570           Height [mm]         501 [556 mm with bean hopper enlargement and lock]	Milk systems and	Milk Smart (MS)	S
Powder system	-		
Container enlargement [g]   1250		-	-
Twin powder container [g]	Powder system	Powder container [g]	450
Topping (1x Topping powder), e.g. milk powder   0		Container enlargement [g]	1250
Chocolate [1x Choco powder]   0		Twin powder container [g]	2 x 450
Choco/Topping (1x Choco powder and 1x Topping powder)   0		Topping (1x Topping powder), e.g. milk powder	0
Powersteam   O		Chocolate (1x Choco powder)	0
Supersteam   O		Choco/Topping (1x Choco powder and 1x Topping powder)	0
Supersteam   O	Steam	Downstoom	
Other options         SteamIT steam cup warmer         s           Grounds container [coffee grounds cake]         30           Under-counter grounds disposal         o           Lighting         s           Trolley         o           Payment system         Payment systems [MDB-S/DIVA2/DIVA2 Max]         o           Coin & token tester         o           Coin changer         o           M2M Coffee Link         o           Colours         Black matt         s           Dimensions         Width [mm]         325           Depth [mm]         570           Height [mm]         501 [556 mm with bean hopperent and lock]           Weight [kg] [net]         25.5           Power supply and consumption         1L, N, PE: 220-240 V- 50/60 Hz         1700 - 2300 kW/10 -16 A/3 x 0.75 mm² or 3 x 1 mm2           Water supply and         Internal drinking water tank [L]         4.5			
Grounds container [coffee grounds cake]   30		Supersteam	U
Under-counter grounds disposal   0	Other options	·	
Lighting   Trolley   O		·	
Payment system			
Payment system			
Coin & token tester		Trottey	0
Coin changer   0   0     M2M Coffee Link   0   0     Colours   Black matt   s     Dimensions   Width [mm]   325     Depth [mm]   570     Height [mm]   501 [556 mm with bean hopped enlargement and lock]     Weight [kg] (net)   25.5     Power supply and consumption   1L, N, PE: 220–240 V~ 50/60 Hz   1700 – 2300 kW/10 –16 A / 3 x	Payment system	Payment systems (MDB-S/DIVA2/DIVA2 Max)	0
M2M Coffee Link         0           Colours         Black matt         s           Dimensions         Width [mm]         325           Depth [mm]         570           Height [mm]         501 [556 mm with bean hopped enlargement and lock]           Weight [kg] (net)         25.5           Power supply and consumption         1L, N, PE: 220-240 V~ 50/60 Hz         1700 - 2300 kW/10 - 16 A / 3 x 0.75 mm² or 3 x 1 mm²           Water supply and         Internal drinking water tank [l]         4.5			
Colours         Black matt         s           Dimensions         Width [mm]         325           Depth [mm]         570           Height [mm]         501 [556 mm with bean hopped enlargement and lock]           Weight [kg] (net)         25.5           Power supply and consumption         1L, N, PE: 220-240 V~ 50/60 Hz         1700 - 2300 kW/10 - 16 A / 3 x 0.75 mm² or 3 x 1 mm²           Water supply and         Internal drinking water tank [l]         4.5			
Dimensions   Width [mm]   325   570     570     Height [mm]   570     501 [556 mm with bean hopped enlargement and lock]   Weight [kg] (net)   25.5     25		M2M Coffee Link	0
Depth [mm]   570     Height [mm]   501 (556 mm with bean hopped enlargement and lock)     Weight [kg] (net)   25.5     Power supply and consumption   1L, N, PE: 220–240 V~ 50/60 Hz   1700 – 2300 kW/10 –16 A / 3 × 0.75 mm² or 3 x 1 mm2     Water supply and   Internal drinking water tank [l]   4.5	Colours	Black matt	S
Depth [mm]   570     Height [mm]   501 (556 mm with bean hopped enlargement and lock)     Weight [kg] (net)   25.5     Power supply and consumption   1L, N, PE: 220–240 V~ 50/60 Hz   1700 – 2300 kW/10 –16 A / 3 × 0.75 mm² or 3 x 1 mm2     Water supply and   Internal drinking water tank [l]   4.5	Dimensions	Width [mm]	325
Height [mm]   501 (556 mm with bean hoppy enlargement and lock)			
Power supply and   Internal drinking water tank [l]   enlargement and lock   25.5		ocput tilling	
Weight [kg] (net)       25.5         Power supply and consumption       1L, N, PE: 220-240 V~ 50/60 Hz       1700 - 2300 kW/10 - 16 A / 3 x 0.75 mm² or 3 x 1 mm2         Water supply and       Internal drinking water tank [l]       4.5		Height [mm]	
Power supply and consumption         1L, N, PE: 220–240 V~ 50/60 Hz         1700 – 2300 kW/10 – 16 A / 3 x 0.75 mm² or 3 x 1 mm2           Water supply and         Internal drinking water tank [l]         4.5		W. Lift 1()	
and consumption         1L, N, PE: 220-240 V~ 50/60 Hz         0.75 mm² or 3 x 1 mm2           Water supply and         Internal drinking water tank [l]         4.5		vveight [kg] (het)	20.0
		1L, N, PE: 220-240 V- 50/60 Hz	1700 – 2300 kW/10 –16 A / 3 x 0.75 mm² or 3 x 1 mm2
	Water curries	Internal drinking water tank [1]	4.5
WIGHTS WATER STITUTE WATER KIT 1			

s Standard o Option





# Headquarter

# Schaerer AG

Allmendweg 8 4528 Zuchwil Switzerland info@schaerer.com www.schaerer.com

# Subsidiaries

# Schaerer USA Corporation

2900 Orange Avenue, Suite 102 Signal Hill, CA 90755 USA info@schaererusa.com www.schaererusa.com

### Schaerer Deutschland GmbH

Siechenlach 1 89173 Lonsee-Urspring Germany info@schaerer-gmbh.de www.schaerer-gmbh.de

# Schaerer Benelux - Guy van Bogaert

Boomsesteenweg 608 2610 Antwerpen-Wilrijk Belgium info@schaerer.be www.schaerer.be





